



SecurEnvoy
A Shearwater Group plc Company

www.securenvoy.com

Mobile Authenticator

Authenticator Customisation Guide

Customisation Guide

Contents

1.1	SOLUTION SUMMARY	3
1.2	GUIDE USAGE	3
1.3	PREREQUISITES	3
1.4	CUSTOMISATION	4
1.41	NAV BAR LOGO	4
1.42	PRIMARY COLOUR	4
1.43	SECONDARY COLOUR	5
1.44	TEXT COLOUR	5
1.45	ADD TOKEN INSTRUCTION	5

1.1 Solution Summary

SecurEnvoy's SecurAccess server solution offers the ability to customise colour and image of the Mobile Authenticator App.

The software used for the integration process is listed below:

SecurEnvoy SecurAccess Release v9.3
Mobile Authenticator – Ver 9.3.3(54) or later

1.2 Guide Usage

The information in this guide describes the configuration settings required on the SecurAccess server for the Mobile authenticator to pull down customisation settings.

1.3 Prerequisites

The following conditions are required to set up SecurEnvoy's MFA Solution:

- A SecurAccess MFA server installed, configured and working on a system with:
 - Windows Server 2012R2 or higher.
- Push Notifications is enabled on a global or per user basis - Customisation of the Mobile Authenticator pulls customisation details down from the SECENROL page utilised through the PUSH notification function.
- This guide assumes that users have been previously enrolled to use the mobile authenticator apps and the SECENROL "Manage My Token" portal is accessible by the Mobile Authenticator App via local wireless or 3G/4G connectivity.

1.4 Customisation

The following section describes which elements of the Mobile Authenticator can be customised from the server-side configuration.

- Nav bar logo (width: height, 2-6: 1)
- Text Colour
- Primary colour (used for Nav bar, Add button and headings)
- Secondary colour (used in Add Button and Nav bar)

Locate and open the following file within the SecurAccess server.

C:\Program Files (x86)\SecurEnvoy\Security Server\Data\Push\app_strings_v9.txt

1.41 Nav Bar Logo

The logo is served from the SecurEnvoy SecurAccess server located in the following folders. If the folder is not available, then it will need to be created and the image placed into the folder.

File name: "logo.png"

- iOS: C:\Program Files (x86)\SecurEnvoy\Security Server\Data\Push\ios\logo.png"
- Android: "C:\Program Files (x86)\SecurEnvoy\Security Server\Data\Push\Android\logo.png"


The image "logo.png" should be a rectangle and utilise a transparent background to give the best experience.

The current app SecurEnvoy logo aspect ratio is 5.3 : 1. For example 320px X 60px.



1.42 Primary Colour

"Color.PrimaryColor" in "app_strings_v9.txt". For example:
Color.PrimaryColor = FDA905



1.43 Secondary Colour

"Color.SecondaryColor" in "app_strings_v9.txt". For example:
Color.SecondaryColor = FFFFFF



1.44 Text Colour

"Color.TextColor" in "app_strings_v9.txt". For example:
Color.TextColor = 0000FF

811179

1.45 Add Token Instruction

Default App text instruction on token add can be overridden from the server by updating the following setting.

AddTokenScreenInstructionText = Please enrol your token

Please Reach Out to Your Local SecurEnvoy Team...



UK & IRELAND

The Square, Basing View
Basingstoke, Hampshire
RG21 4EB, UK

Sales

E sales@SecurEnvoy.com
T +44 (0) 845 2600011

Technical Support

E support@SecurEnvoy.com
T +44 (0) 845 2600012



EUROPE

Freibadstraße 30,
81543 München,
Germany

General Information

E info@SecurEnvoy.com
T +49 89 70074522



ASIA-PAC

Level 40 100 Miller Street
North Sydney
NSW 2060

Sales

E info@SecurEnvoy.com
T +612 9911 7778



USA - West Coast

Mission Valley Business Center
8880 Rio San Diego Drive
8th Floor San Diego CA 92108

General Information

E info@SecurEnvoy.com
T (866)777-6211



USA - Mid West

3333 Warrenville Rd
Suite #200
Lisle, IL 60532

General Information

E info@SecurEnvoy.com
T (866)777-6211



USA – East Coast

373 Park Ave South
New York,
NY 10016

General Information

E info@SecurEnvoy.com
T (866)777-6211



SecurEnvoy
A Shearwater Group plc Company

www.securenvoy.com